

Ref. No.: IIT(BHU)/IWD/CT/01/Arch./2019-20/350 Dated: **20 May, 2019**

QUOTATION NOTICE

1. Limited tender quotations are invited from UWD, BHU empanelled contractors and those contractors who had worked in erstwhile IT(BHU) before conversion i.e. 29.06.2012 for Providing and Fixing aluminum partition with WPC hybrid board and tile flooring work of Architecture Department, IIT(BHU), Varanasi as per description below. The sealed envelope containing quotation shall be superscribed with the name of the work, tender enquiry ref. no. & date. The quotations will be received up to 3:00 P.M on or before 27.05.2019 in the office of the Superintending Engineer, Institute Works Department, IIT(BHU), Varanasi.

S. No	Description of items	Qty.		Rate	Unit	Amount
1	Demolishing cement concrete manually / by					
	mechanical means and disposal of material within 50 metres lead as per direction of					
	Engineer in charge.					
	Nominal concrete 1:3:6 or richer mix (i/c					
	equivalent design mix) (15.2.1)	1.00	Cum		Cum	
2	Demolishing brick work manually / by					
	mechanical means including stacking of					
	serviceable material and disposal of					
	unserviceable material within 50 metres lead as					
	per direction of Engineer-in-charge:					
	In cement mortar (15.7.4)	2.00	Cum		Cum	
3	Dismantling old plaster or skirting raking out					
	joints and cleaning the surface for plaster					
	including disposal of rubbish to the dumping	2.00				
4	ground within 50 metres lead. (15.56)	3.00	Sqm		Sqm	
4	12 mm cement plaster of mix :					
	1:6 (1 cement: 6 coarse sand) (13.4.2)	3.00	Sqm		Sqm	
5	Providing and laying cement concrete in					
	retaining walls, return walls, walls (any					
	thickness) including attached plasters, columns,					
	piers, abutments, pillars, posts, struts,					
	buttresses, string or lacing courses, parapets,					
	coping, bed blocks, anchor blocks, plain window sills, fillets, sunken floor, etc. up to					
	floor five level, excluding the cost of centering,					
	shuttering and finishing:					
	1:2:4 (1 Cement: 2 coarse sand: 4 graded stone					
	aggregate 20 mm nominal size) (4.2.3)	1.00	Cum		cum	
6	Providing and laying Vitrified tiles in floor					
	with different sizes (thickness to be specified					
	by the manufacturer), with water absorption					
	less than 0.08% and conforming to IS:15622,					
	of approved brand & manufacturer, in all					
	colours and shade, laid with cement based high					



	1101 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	I	, I	1 1	
	polymer modified quick set tile adhesive (water				
	based) conforming to IS: 15477, in average 6				
	mm thickness, including grouting of joints				
	(Payment for grouting of joints to be made				
	separately).				
	Size of Tile 600 x 600 mm (11.49.2)	170.00			
	` ′	170.00	Sqm	sqm	
7	Providing and fixing aluminium work for				
	doors, windows, ventilators and partitions with				
	extruded built up standard tubular sections/				
	appropriate Z sections and other sections of				
	approved make conforming to IS: 733 and IS:				
	1285, fixing with dash fastners of required dia				
	& size, including necessary filling up the gaps				
	at junctions, i.e. top, bottom and sides with				
	required EPDM rubber /neoprene gasket etc.				
	Aluminium sections shall be smooth, rust free,				
	straight, mitred and jointed mechanically				
	wherever required including cleat angle,				
	Aluminium snap beading for glazing /				
	panelling, C.P. brass / stainless steel screws, all				
	complete as per architectural drawings and the				
	directions of Engineer-in-charge. (Glazing and				
	panelling to be paid for separately.)				
	For fixed portion				
	Anodised aluminium (anodised transparent or				
	dyed to required shade according to IS: 1868,				
	1 •				
	Minimum anodic coating of grade AC 15).	270.00	IZ -	1	
0	(21.1.1.1)	279.00	Kg	kg	
8	Providing and fixing 12mm thick prelaminated				
	particle board flat pressed three layer or garded				
	wood particle board conforming to IS: 12823				
	Grade I Type II, in panelling fixed in				
	aluminium doors, windows shutters and				
	partition frames with C.P. brass / stainless steel				
	screws etc. complete as per architectural				
	drawings and directions of engineer-in-charge.				
	Pre-laminated particle board with decorative				
	lamination on one side and balancing				
	lamination on other side (21.2.1)	3.00	Sqm	sqm	
9	Providing and fixing glazing in aluminium	2.00	4	24111	
	door, window, ventilator shutters and partitions				
	etc. with EPDM rubber / neoprene gasket etc.				
	complete as per the architectural drawings and				
	the directions of engineer-in-charge. (Cost of				
	aluminium snap beading shall be paid in basic				
	item.)				
	With float glass panes of 5.50 mm thickness				
	(21.3.2)	3.00	Sqm	sqm	
10	Providing and fixing 8 mm thick WPC hybrid				
	broad, in panelling /covering fixed in				
	aluminum doors, windows shutters and				
L	· · · · · · · · · · · · · · · · · · ·			<u> </u>	



	partition frames with C.P. brass / stainless steel			
	screws etc. complete as per architectural			
	drawings and directions of engineer-in-charge. WPC hybrid board with termites & borer proof,			
	101%water proof and fire retardant (8mm			
	thick) (Analysis Rate)	84.00	Sqm	sqm
11	Providing and fixing aluminium handles ISI	000	24111	34
	marked anodised (anodic coating not less than			
	grade AC 10 as per IS: 1868) transparent or			
	dyed to required colour or shade with			
	necessary screws etc. complete:			
	125 mm (9.100.1)	6	Nos	Nos
12	Providing and fixing 100mm brass locks (best			
	make of approved quality) for aluminium doors			
	including necessary cutting and making good			
	etc.complete. (21.13)	3	Nos	Nos
13	Providing and fixing aluminium extruded			
	section body tubular type universal hydraulic			
	door closer (having brand logo with ISI,			
	IS:3564, embossed on the body, door weight			
	upto 36 kg to 80 kg and door width from			
	701mm to 1000mm), with double speed			
	adjustment with necessary accessories and screws etc. complete. (9.84)	3	Nos	Nos
14	Providing and fixing aluminium hanging floor		INUS	1108
17	door stopper ISI marked anodised (anodic			
	coating not less than grade AC 10 as per IS:			
	1868) transparent or dyed to required colour			
	and shade with necessary screws etc.			
	complete.			
	Twin rubber stopper (9.101.2)	3	Nos	Nos
15	Providing and fixing 18mm thick gang saw cut			
	mirror polished (premoulded and prepolished)			
	machine cut for kitchen platforms, vanity			
	counters, window sills, facias and similar			
	locations of required size of approved shade, colour and texture laid over 20mm thick base			
	cement mortar 1:4 (1 Cement : 4 coarse sand)			
	with joints treated with white cement ,mixed			
	with matching pigment, epoxy touch ups,			
	including rubbing ,curing, moulding and			
	polishing to edge to give high gloss finish etc.			
	complete at all levels.			
16	Cartage of Malba (Approved Rate)	1	Trip	Trip
	INCLUSIVE OF GST AND ALL O	THER T	AXES TOT	<u> </u>
AMOU	UNT IN WORD Rs.			



- 2. The bidders should submit self certified order copies of similar type of construction works executed during last three financial years alongwith self certified copies of satisfactory work completion certificates.
- 3. Those bidders who have already executed similar type of works in IWD, IIT(BHU) need not submit satisfactory work completion certificates. They should submit only the self certified copies of earlier work orders.
- 4. The amount of similar work order executed during preceding last three financial years should be at least:
- (i) 1 order of 80% of estimated cost of this work.

OR

(ii) 2 order of 60% of estimated cost of this work.

OR

- (iii) 3 order of 40% of estimated cost of this work.
- 5. (a) Intending bidder should have average annual financial turnover of at least 30% of the estimated cost of this works during preceding last three financial years. Self certified photocopies of certificate from CA to be submitted with bid.
 - (b) Should not have incurred any loss in more than three years during the preceding three financial years ending 31st March, 2018. Self Certified photocopy of certificate from CA to be submitted alongwith last three years Profit & Loss Account to be submitted with bid.
 - (c) Should have a solvency certificate of 40% of the estimated cost issued by Bank during the last six months. Certified copy of original solvency certificate to be submitted with bid.
- 6. Any bid submitted without the above mentioned documents in support of criteria laid down from Sl. No. 2 to 5 above shall be treated as unresponsive and may not be considered for further evaluation by the tender opening committee.
- 7. The quotation forms complete in all aspects along with all required documents should be submitted in sealed envelope along with **tender fee of Rs. 500.00 + Rs. 90.00 (GST @ 18%) = Rs. 590.00** in the form of demand draft drawn in favour of the Registrar, IIT (BHU), payable at Varanasi.
- 8. The estimated cost of this work is **Rs. 4,68,408/-**. The **Earnest Money Deposit** of **Rs. 10,000/-** shall be submitted in the form of FDR or DD in favour of the Registrar, IIT(BHU), payable at Varanasi. The **EMD** of successful bidder will be retained until the completion of work and shall be returned after the payment of final bill & deduction of security deposit. The EMD of unsuccessful bidders shall be returned after the final award of work.
- 9. In case of tie between two or more bidders at L-1 price, all L-1 bidders shall be asked to resubmit their bids in sealed envelope with the objective to break the tie to obtained a single L-1 bidder.
- 10. The works will be executed on Agreement/work order basis.



- 11. Institute reserves the right to reject any quotation or all quotation without prejudice, prior notice, or any explanation/justification.
- 12. If a quotation is submitted without mentioning explicit rate of each item, quotation will not be considered for further processing.
- 13. Quotation(s), if not duly signed by the contractor or his legally authorized partner, if any, will be considered invalid.
- 14. **Security deposit** @ 5% shall be deducted from each bill. The security deposit of 5% deducted from all the bills will be refunded after completion of the defect liability period, i.e., 6 months from the date of payment of final bill and confirmation of no defect from IWD engineering wing. The date of work completion will be counted as the date of payment of final bill.
- 15. 1% water tax will be deducted from each bill, wherever applicable.
- 16. Electricity charge will be deducted as per the actual consumption.
- 17. 2% Income Tax and other applicable taxes such as GST etc. shall be deducted as per applicable Govt. rules.
- 18. <u>Amount and quantity variation</u>: Quantity may vary as per actual work execution/site requirement/end user suggested changes during execution but the final bill value shall not exceed more than 5% of order value.
- 19. Work completion period: Within 21 days from the issue of the work order/date of agreement. A period of 03 days will be added to the allocated period for the completion of this work.
- 20. <u>Late work completion penalty</u>: If work is not completed within the given time, penalty will be deducted as per institute norms. It will be implemented in verbatim with no excuse to be entertained for whatsoever be the reason.
- 21. Any damage caused to the building shall have to be made good by contractor at no extra cost & without any delay.
- 22. Site must be cleared, and made neat and clean. Any waste material resulted out of the work execution must be disposed off to the specified location identified by the Assistant Engineer, IWD. If not, 1% extra charges shall be deducted from the bill to dispose of the malba.
- 23. Duly completed tender document alongwith Quotation form, tender fee & E.M.D. should be sealed in one envelope, which is superscribed with Name of work, Tender Reference No. & date submitted on or before the last date & time as mentioned at S. No. 1 above.
- 24. The empty containers of paint/adhesive/chemicals etc. used in the work are to be returned to the custody of Assistant Engineer, IWD.
- 25. The bids submitted after the last date & time will not be considered for opening. The bids received within the last date & time will be opened on 27.05.2019 at 4:00 P.M. in the office of Institute Works Department, IIT(BHU), Varanasi.

Sd-Superintending Engineer IWD, IIT(BHU), Varanasi





QUOTATION FORM

Ref. No.: IIT(BHU)/IWD/CT/01/Arch./2019-20/350 Dated: 20/05/2019

The Superintending Engineer Institute Works Department, Indian Institute of Technology (BHU), Varanasi-221005
Subject: Quotation for
Dear Sir,
With reference to the Quotation invited by you for the captioned work. I/We do hereby offer to perform, provide, execute, complete and maintain work in conformity with the drawing, conditions of tender, articles of agreement conditions of contract, specification and quantities of the sum of Rs
) at the respective rates mentioned in the quotations.
My/Our quotation will remain open for acceptance for 12 months from the date of its opening.
I have submitting tender fee of Rs. 590/- vide DD Nodateddrawn on(Name of Bank).
I have submitted EMD of Rs Vide FDR/DD No (Name of Bank)
I have enclosed self attached copy of PAN No. and GSTIN alongwith the bid.
My email id for all future correspondence regarding this bid including communication of work order is and mobile no. is
(Note: Any information left blank such as email id, mobile number, PAN & GSTIN etc. may lead to rejection of bid as non-responsive)
Yours faithfully,
Date: (Signature of contractor with seal)