

Ref. No.: IIT(BHU)/IWD/ET-18/2019-20/1719

Dated: 18/11/2019

QUOTATION NOTICE

1. Limited tender quotations are invited from EWSS (BHU), UWD (BHU) empanelled contractors and those contractors who had worked in erstwhile IT(BHU) before conversion i.e. 29.06.2012 for Electrical work in Intre Demonstration lab of main workshop, IIT (BHU) Varanasi as per description below. The sealed envelope containing quotation shall be superscribed with the name of the work, tender enquiry ref. no. & date. The quotations will be received up to 3:00 P.M on or before 25.11.2019 in the office of the Superintending Engineer, Institute Works Department, IIT(BHU), Varanasi.

S. N.	Description of items	Q	Qty	Rate	Unit	Amount
1	Wiring for light point/ fan point/ exhaust fan point/ call					
	bell point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable in surface / recessed					
	medium class PVC conduit, with modular switch,					
	modular plate, suitable GI box and earthing the point					
	with 1.5 sq.mm FRLS PVC insulated copper conductor					
	single core cable etc. as required.					
	(Make: Finolex/ L&T/ Polycab)					
1.1	Group C	75	Pt		Point	
2	Wiring for circuit/ submain wiring alongwith earth wire					
	with the following sizes of FRLS PVC insulated copper conductor, single core cable in surface/ recessed					
	medium class PVC conduit as required.					
	(Make: Finolex / L&T / Polycab)					
2.1	2 X 2.5 sq. mm + 1 X 2.5 sq. mm earth wire	170	Mtrs		Meter	
2.2	2 X 4 sq. mm + 1 X 4 sq. mm earth wire	170	Mtrs		Meter	
2.3	2 X 6 sq. mm + 1 X 6 sq. mm earth wire	100	Mtrs		Meter	
2.4	4 X 4 sq. mm + 2 X 4 sq. mm earth wire	90	Mtrs		Meter	
2.5	4×10 sq. mm $+ 2 \times 6$ sq. mm earth wire	10	Mtrs		Meter	
3	Supplying and fixing suitable size GI box with modular					
	plate and cover in front on surface or in recess,					
	including providing and fixing 3 pin 5/6 A modular socket outlet and 5/6 A modular switch, connections	40	Nos		Each	
	etc. as required.					
	(Make: ABB/L&T/ Schneider/Legrand/)					
4	Supplying and fixing suitable size GI box with modular					
	plate and cover in front on surface or in recess,					
	including providing and fixing 6 pin 5/6 A & 15/16 A	20	Nos		Point	
	modular socket outlet and 15/16 A modular switch,	20	1105		1.0111	
	connections etc. as required.					
	(Make: ABB/L&T/ Schneider/Legrand/)					









•			
Supplying and fixing 2x2 Pure LED light surface lights minimum 36 W and 100 lumen per watt.((Make: Philips / Wipro/ Syska/ CG)	48	Nos	Each
Surface and wall mounted LED batten 20 W (Make: Philips Slimline or Equivalent in Wipro/ Syska/CG)	15	Nos	Each
Supplying and fixing 8 way (4 + 24), Double door, horizontal type three pole and neutral, sheet steel, MCB distribution board, 415 V, on surface/ recess, complete with tinned copper bus bar, neutral bus bar, earth bar, din bar, interconnections, powder Painted including earthing etc. as required. (But without MCB/RCCB/ Isolator) (Make: ABB/L&T/ Siemens/ Legrand/)	1	Nos	Each
Supplying and fixing 5 A to 32 A rating, 240/415 V, 10 kA, "C" curve, miniature circuit breaker suitable for inductive load of following poles in the existing MCB DB complete with connections, testing and commissioning etc. as required. (Make: ABB/L&T/ Siemens/Legrand/)			
SP MCB 5-32 A	24	Nos	Each
FP MCB-63 A	1	Nos	Each
Supplying, installing, testing and commissioning of 100 A TPN tap off box made of 1.6mm thick sheet steel enclosure duly painted with powder coating on existing rising mains complete with TPN disconnector FSU and HRC fuses, connections, earthing etc. as required	1	Nos	Each
Supplying and fixing two module stepped type electronic fan regulator on the existing modular plate switch box including connections but excluding modular plate etc. as required. (Make: ABB/L&T/ Schneider/Legrand)	14	Nos	Each
Supplying and installation of ceiling fan 1400mm, 240 V with down rod upto 8 feets or as required. (Make: Usha / CG /Orient)	14	Nos	Each
Supplying and installation of Heavy-Duty exhaust fan 12" dia, 240 V exhaust fan. (Make: Usha / CG /Orient)	2	Nos	Each
Supplying and installation of Wall fan, 400mm sweep, 240V (Make: Usha / CG /Orient)	4	Nos	Each
Supplying and laying of 3.5C* 50 Sqmm LT PVC/XLPE cable on wall surface with accessories and end termination with brass compression gland at both end of cable or as required. (Make: KEI/Gloster/Polycab)	55	Mtrs	Each
Dismantling of existing electrical item including circuit and point wirings, electrical boards etc.	1	Job	Each
	minimum 36 W and 100 lumen per watt.((Make: Philips / Wipro/ Syska/ CG) Surface and wall mounted LED batten 20 W (Make: Philips Slimline or Equivalent in Wipro/ Syska/CG) Supplying and fixing 8 way (4 + 24), Double door, horizontal type three pole and neutral, sheet steel, MCB distribution board, 415 V, on surface/ recess, complete with tinned copper bus bar, neutral bus bar, earth bar, din bar, interconnections, powder Painted including earthing etc. as required. (But without MCB/RCCB/ Isolator) (Make: ABB/L&T/ Siemens/ Legrand/) Supplying and fixing 5 A to 32 A rating, 240/415 V, 10 kA, "C" curve, miniature circuit breaker suitable for inductive load of following poles in the existing MCB DB complete with connections, testing and commissioning etc. as required. (Make: ABB/L&T/ Siemens/Legrand/) SP MCB 5-32 A FP MCB-63 A Supplying, installing, testing and commissioning of 100 A TPN tap off box made of 1.6mm thick sheet steel enclosure duly painted with powder coating on existing rising mains complete with TPN disconnector FSU and HRC fuses, connections, earthing etc. as required Supplying and fixing two module stepped type electronic fan regulator on the existing modular plate switch box including connections but excluding modular plate etc. as required. (Make: ABB/L&T/ Schneider/Legrand) Supplying and installation of ceiling fan 1400mm, 240 V with down rod upto 8 feets or as required. (Make: Usha / CG / Orient) Supplying and installation of Heavy-Duty exhaust fan 12" dia, 240 V exhaust fan. (Make: Usha / CG / Orient) Supplying and installation of Wall fan, 400mm sweep, 240V (Make: Usha / CG / Orient) Supplying and installation of Wall fan, 400mm sweep, 240V (Make: Usha / CG / Orient) Supplying and installation of Wall fan, 400mm sweep, 240V (Make: Usha / CG / Orient) Supplying and installation of Wall fan, 400mm sweep, 240V (Make: Usha / CG / Orient)	minimum 36 W and 100 lumen per watt. (Make:48Philips / Wipro/ Syska/ CG)9Surface and wall mounted LED batten 20 W15(Make: Philips Slimline or Equivalent in Wipro/ Syska/CG)15Supplying and fixing 8 way (4 + 24), Double door, horizontal type three pole and neutral, sheet steel, MCB distribution board, 415 V, on surface/ recess, complete with tinned copper bus bar, neutral bus bar, earth bar, din bar, interconnections, powder Painted including earthing etc. as required. (But without MCB/RCCB/ Isolator)1(Make: ABB/L&T/ Siemens/ Legrand/)1Supplying and fixing 5 A to 32 A rating, 240/415 V, 10 kA, "C" curve, miniature circuit breaker suitable for inductive load of following poles in the existing MCB DB complete with connections, testing and commissioning etc. as required.24FP MCB-63 A1Supplying, installing, testing and commissioning of 100 A TPN tap off box made of 1.6mm thick sheet steel enclosure duly painted with powder coating on existing rising mains complete with TPN disconnector FSU and HRC fuses, connections, earthing etc. as required.14Make: Usha / CG /Orient)14Supplying and installation of ceiling fan 1400mm, 240 V with down rod upto 8 feets or as required.14(Make: Usha / CG /Orient)2Supplying and installation of Heavy-Duty exhaust fan 12" dia, 240 V exhaust fan. 240V (Make: Usha / CG /Orient)2Supplying and installation of Heavy-Duty exhaust fan 12" dia, 240 V exhaust fan. 240V (Make: Usha / CG /Orient)2Supplying and installation of Heavy-Duty exhaust fan 12" dia, 240 V exhaust fan. 240V (Make: Usha / CG /Orient)2 <t< th=""><th>minimum 36 W and 100 lumen per watt.((Make: 48NosPhilips / Wipro/ Syska/CG)Surface and wall mounted LED batten 20 WNos(Make: Philips Slimline or Equivalent in Wipro/ Syska/CG)15NosSupplying and fixing 8 way (4 + 24), Double door, horizontal type three pole and neutral, sheet steel, MCB distribution board, 415 V, on surface/ recess, complete with tinned copper bus bar, neutral bus bar, earth bar, din bar, interconnections, powder Painted including earthing etc. as required. (But without MCB/RCCB/ Isolator) (Make: ABB/L&T/ Siemens/ Legrand/)NosSupplying and fixing 5 A to 32 A rating, 240/415 V, 10 kA, "C" curve, miniature circuit breaker suitable for inductive load of following poles in the existing MCB DB complete with connections, testing and commissioning etc. as required. (Make: ABB/L&T/ Siemens/Legrand/)NosSP MCB 5-32 A24NosFP MCB-63 A1NosSupplying, installing, testing and commissioning of 100 M TPN tap off box made of 1.6mm thick sheet steel enclosure duly painted with powder coating on existing rising mains complete with TPN disconnector FSU and HRC fuses, connections, earthing etc. as requiredNosSupplying and fixing two module stepped type electronic fan regulator on the existing modular plate switch box including connections but excluding modular plate etc. as required.Nos(Make: Usha / CG /Orient)14NosSupplying and installation of Heavy-Duty exhaust fan 12" dia, 240 V exhaust fan. (Make: Usha / CG /Orient)2NosSupplying and installation of Heavy-Duty exhaust fan 12" dia, 240 V exhaust fan. (Make: Usha / CG /Orient)4Nos</th></t<>	minimum 36 W and 100 lumen per watt.((Make: 48NosPhilips / Wipro/ Syska/CG)Surface and wall mounted LED batten 20 WNos(Make: Philips Slimline or Equivalent in Wipro/ Syska/CG)15NosSupplying and fixing 8 way (4 + 24), Double door, horizontal type three pole and neutral, sheet steel, MCB distribution board, 415 V, on surface/ recess, complete with tinned copper bus bar, neutral bus bar, earth bar, din bar, interconnections, powder Painted including earthing etc. as required. (But without MCB/RCCB/ Isolator) (Make: ABB/L&T/ Siemens/ Legrand/)NosSupplying and fixing 5 A to 32 A rating, 240/415 V, 10 kA, "C" curve, miniature circuit breaker suitable for inductive load of following poles in the existing MCB DB complete with connections, testing and commissioning etc. as required. (Make: ABB/L&T/ Siemens/Legrand/)NosSP MCB 5-32 A24NosFP MCB-63 A1NosSupplying, installing, testing and commissioning of 100 M TPN tap off box made of 1.6mm thick sheet steel enclosure duly painted with powder coating on existing rising mains complete with TPN disconnector FSU and HRC fuses, connections, earthing etc. as requiredNosSupplying and fixing two module stepped type electronic fan regulator on the existing modular plate switch box including connections but excluding modular plate etc. as required.Nos(Make: Usha / CG /Orient)14NosSupplying and installation of Heavy-Duty exhaust fan 12" dia, 240 V exhaust fan. (Make: Usha / CG /Orient)2NosSupplying and installation of Heavy-Duty exhaust fan 12" dia, 240 V exhaust fan. (Make: Usha / CG /Orient)4Nos







16	Supplying and fixing DP sheet steel enclosure on surface/recess along with 25/32 A, 240 V "C" curve DP MCB complete with connections, testing and commissioning etc. as required (Make: L&T/ Schneider /Legrand/ABB).	4	Nos	Each	
17	Supplying and fixing 20 A, 240 V, SPN Industrial type socket outlet, with 2 pole and earth, metal enclosed plug top alongwith 20 A, "C" curve, SP, MCB, in sheet steel enclosure, on surface or in recess, with chained metal cover for the socket out let and complete with connections, testing and commissioning etc. as required. (Make: ABB/L&T/ Siemens/ Legrand)		Nos	Each	
18	Supply and installation of 32/40 A FPMCB with steel sheet enclosure (Make: ABB/L&T/ Schneider/Legrand)	5	Nos	Each	
				Total	

NOTE:

- Work completion Period 45 Days
- Amount and quantity variation: Quantity may vary as per actual work execution/site requirement/end user suggested changes during execution but the final bill value shall not exceed more than 5% of order value.
- Due Date-1week and Commercial terms & condition as per standard
- Taxation included as per applicable rule of GST.
- Warranty period: 01 year for all above works after handing over of user certificate.
- All electrical works shall comply to applicable IS electrical safety norms.
- Any loss of material/ manpower during the execution of works shall be responsibility of the contractor.
- For execution of above works all accessories shall be arranged by contractor at their end.
- Contractor must have valid Electrical Safety Certificate issued by The D.G.-Electrical Safety.
- Any other losses occurring during the execution of above work shall also be the responsibility of the contractor
- All works shall be executed by skilled electrician under the supervision of qualified supervisor.
- Quality of work must comply with CPWD norms.
- Contractor shall ensure availability of all TnP at site for proper executions of work.





2. The bidders should submit self-certified order copies of similar type of works executed during last three financial years along with self-certified copies of satisfactory work completion certificates.

3. Those bidders who have already executed similar type of works in IWD, IIT(BHU) need not submit satisfactory work completion certificates. They should submit only the self certified copies of earlier work orders.

4. The amount of similar work order executed during preceding last three financial years should be at least:

(i) 1 order of 80% of estimated cost of this work.

OR

(ii) 2 order of 60% of estimated cost of this work.

OR

(iii) 3 order of 40% of estimated cost of this work.

5. (a) Intending bidder should have average annual financial turnover of at least at least 30% of the estimated cost of this works during preceding last three financial years. Self certified photocopies of certificate from CA to be submitted with bid.

(b) Should not have incurred any loss in more than three years during the preceding three financial years ending 31st March, 2019. Self Certified photocopy of certificate from CA to be submitted alongwith last five years Profit & Loss Account to be submitted with bid.

(c) Should have a solvency certificate of 40% of the estimated cost issued by Bank during the last six months. Certified copy of original solvency certificate to be submitted with bid.

6. Any bid submitted without the above mentioned documents in support of criteria laid down from Sl. No. 2 to 5 above shall be treated as unresponsive and may not be considered for further evaluation by the tender opening committee.

7. The quotation forms complete in all aspects along with all required documents should be submitted in sealed envelope along with **tender fee of 590**/- in the form of demand draft drawn in favour of the Registrar, IIT (BHU), payable at Varanasi





8. The estimated cost of this work is **4,90,461.00** inclusive of applicable GST. The **earnest money deposit** of **12,500**/- shall be submitted in the form of FDR or DD in favour of the Registrar, IIT (BHU), payable at Varanasi. The **EMD** of successful bidder will be retained till the completion of work and shall be returned after the payment of final bill & deduction of security. The EMD of unsuccessful bidders shall be returned after the final award of work.

9. In case one or more eligible bidders are found lowest that is the L-1 prices are same then all L-1 bidders will be asked to resubmit their bids in sealed envelope with the objective to break the tie cases and determine a single L-1 bidder.

10. The works will be executed on Agreement/work order basis.

11. Institute reserves the right to reject any quotation or all quotation without prejudice, assigning any reason or giving any explanation.

12. If quotations are submitted without clearly writing the rates and total amount then quotation shall be rejected.

13. Quotation not stamped &signed by the contractor or his legally authorized agent will be considered invalid.

14. Security deposit @ 5% shall be deducted from each bill. The security deposit of 5% deducted from all the bills will be refunded after completion of the warranty period i.e. 12 months from the date of works completion. The date of issue of work completion certificate will be treated as the work completion date.

15. 1% water tax will be deducted from each bill if applicable.

16. Electricity charge will be deducted as per actual consumption.

17. 2% Income Tax and other applicable taxes such as GST etc. shall be deducted as per applicable Govt. rules.

18. <u>Amount and quantity variation</u>: Quantity may vary as per actual work execution/site requirement/end user suggested changes during execution but the final bill value shall not exceed more than 5% of order value.

19. All the materials/equipments provided by the vendor will be checked by IWD before installation.





20. <u>Work completion period</u>: Within **45 days** from the date of issue of Letter of Award/Work order. Work completion certificate shall be issued by the IWD after obtaining a satisfactory work done report from the user. A period of 10 days will be added to the work completion period for completion of above procedure.

21. <u>Late work completion penalty</u>: If work in not completed within the given time, penalty will be deducted as per institute norms.

22. Any damage caused to the building shall have to be made good by contractor at no extra cost & without any delay.

23. The bids submitted after the last date & time will not be considered for opening. The bids received within the last date & time will be opened on **25.11.2019 at 4:00 P.M.** in the Committee room of the Superintending Engineer, IWD, IIT (BHU), Varanasi.

Sd-Superintending Engineer, IWD



QUOTATION FORM

Ref. No.: IIT(BHU)/IWD/ET-18/2019-20/1719

Dated: 18/11/2019

The Superintending Engineer,

Institute Works Department, Indian Institute of Technology (BHU), Varanasi-221005

Subject: Quotation for

••••	•••	•••	•••	•••	•••	• • •	•••	•••	••	•••	•••	•••	••	•••	•••	•••	•••	•••	•••	•••	•••	••	•••	•••	•••	•••	•••	•••	•••	••	••	•••	•••	••	•••	•••	•••	•••	•••	•••	••	•••	•••	•••	••	•••	•
•••	•••	••	•••	••	•••	•••	•••	•••	•••	••	•••	•••	••	••	••	••	•••	••	••	••	•••	•••	••	•••	•••	••	•••	••	•••	•••	••	••	•••	••	•••	••	•••	•••	••	••	•••	•••	••	•••	•••	••	•
•••	•••	•••	•••	••	•••	•••	•••	•••	•••	••	•••	•••	•••	••	••	••	•••	•••	••	••	•••	•••	••	•••	•••	•••	•••	••	•••	•••	•••	••	•••	•••	••	•••	•••	•••	•••	•••	•••	•••	•••	•••	••	••	••
• • •	•••	••	•••	••	•••	•••	•••	•••	•••	••	•••	•••	••	••	••	••	•••	••	••	••		••	••	•••	•••	••		••	•••	•••	••	••	•••	••	••	•••	•••	••	•••	•••	••	••	•••	•••	••	••	••

Dear Sir,

With reference to the Quotation invited by you for the captioned work. I/We do hereby offer to perform, provide, execute, complete and maintain work in conformity with the drawing, conditions of tender, articles of agreement conditions of contract, specification and quantities of the sum of Rs._______(Rupees

) at the respective rates mentioned in the quotations.

My/Our quotation will remain open for acceptance for 12 months from the date of its opening.

I have submitting tender fee of Rs.	500/- vide DD No	dated	drawn on
		(Nam	e of Bank).
I have submitted EMD of Rs.	Vide FDR/DI	D No.	dated

I have enclosed self attached copy of PAN No. and GSTIN alongwith the bid.

My email id for all future correspondence regarding this bid including communication of work order is ______ and mobile no. is ______

(Note: Any information left black such as email id, mobile number, PAN & GSTIN etc. may lead to rejection of bid as non-responsive)

Yours faithfully,

Date:

issued by _____

(Signature of contractor with seal)

(Name of Bank)

