

Ref. No.: IIT(BHU)/IWD/2020-21/CT-026/796 Dated: **02 Feb., 2021**

QUOTATION NOTICE

1. Limited tender quotations are invited from UWD, BHU empaneled contractors and those contractors who had worked in erstwhile IT(BHU) before conversion i.e. 29.06.2012 for Providing and fixing false ceiling work of Micro processing lab in Department of Electronics, Providing & fixing wall panelling work of Committee Room-3, Department of Pharmaceutics & Technology Engineering, IIT(BHU) and White washing of animal house and as per description below. The sealed envelope containing quotation shall be superscribed with the name of the work, tender enquiry ref. no. & date. The quotations will be received up to 3:00 P.M on or before 09.02.2021 (15:00 Hrs.) in the office of the Superintending Engineer, Institute Works Department, IIT(BHU), Varanasi.

| S.No | Description of items | Qty | /. | Rate | Unit | Amount |
|--------|--|--------|-----|------|------|--------|
| 1 1 | Providing and fixing false ceiling at all heights with integral densified calcium silicate reinforced with fibre and natural filler false ceiling tiles of Size 595x595 mm of approved texture, design and patterns having NRC (Noise Reduction coefficient) of 0.50 (minimum) as per IS 8225:1987, Light reflectance of 85% (minimum). Non combustible as per BS:476 (part-4), fire performance as per BS:476 (part 6 &7), humidity resistance of 100%, thermal conductivity < 0.043 W/m K as per ASTM 518:1991,in true horizontal level suspended on interlocking metal T-Grid of hot dipped galvanised iron section of 0.33mm thick (galvanized @ 120 grams per sqm including both sides) comprising of main-T | Qty | | Rate | Unit | Amount |
| | runners of size 24x38 mm of length 3000 mm, cross - T of size 24x32 mm of length 1200 mm and secondary intermediate cross-T of size 24x32 mm of length 600mm to form grid module of size 600 x 600 mm, suspended from ceiling using galvanised mild steel items (galvanizing @ 80 grams per sqm) i.e. 50 mm long, 8 mm outer diameter M-6 dash fasteners, 6 mm dia fully threaded hanger rod upto 1000 mm length and L-shape level adjuster of size 85x25x25x2 mm. Galvanised iron perimeter wall angle of size 24x24x0.40 mm of length 3000 mm to be fixed on periphery wall / partition with the help of plastic rawl plugs at 450 mm center to center and 40 mm long dry wall S.S screws. The work shall be carried out as per specifications, drawing and as per directions of Engineer-in-Charge. | | | | | |
| | With 15 mm thick tegular edged light weight calcium silicate false ceiling tiles. (26.22.1) | 84.00 | sqm | | sqm | |
| 2 | Removing dry or oil bound distemper, water proffing cement paint and the like by scrapping, sand papering and preparing the surface smooth including necessary repairs to scratches etc. complete (14.46) | 116.00 | sqm | | sqm | |
| 3 | Providing and applying white cement based putty of average thickness 1mm, of approved brand and manufacturer, over the plastered wall surface to | 116.00 | sqm | | sqm | |



| | Institute works b | _ | , | | |
|----|---|--------|-----|------|--|
| | prepare the surface even and smooth complete. (13.80) | | | | |
| 4 | Distempering with oil bound washable distemper of approved brand and manufacture to give an even | | | | |
| | shade | | | | |
| | New work (two or more coats) over and including | | | | |
| | water thinnable priming coat with cement primer | | | | |
| | (13.41.1) | 116.00 | sqm | sqm | |
| 5 | Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/ appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fastners of required dia & size, including necessary | | | | |
| | filling up the gaps at junctions, i.e. top, bottom and sides with required EPDM rubber /neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / panelling, C.P. brass / stainless steel screws, all complete as per architectural | | | | |
| | drawings and the directions of Engineer-in-charge. (Glazing and panelling to be paid for separately.) | | | | |
| | (a) For fixed portion | | | | |
| | Anodised aluminium (anodised transparent or dyed | | | | |
| | to required shade according to IS: 1868, Minimum | | | | |
| | anodic coating of grade AC 15). (21.1.1.1) | 197.00 | kg | kg | |
| 6 | Providing and fixing 12mm thick prelaminated | | | | |
| | particle board flat pressed three layer or garded | | | | |
| | wood particle board conforming to IS: 12823 Grade | | | | |
| | I Type II, in panelling fixed in aluminium doors, | | | | |
| | windows shutters and partition frames with C.P. | | | | |
| | brass / stainless steel screws etc. complete as per | | | | |
| | architectural drawings and directions of engineer-in- | | | | |
| | charge. | | | | |
| | Pre-laminated particle board with decorative | | | | |
| | lamination on one side and balancing lamination on | 9 00 | cam | cam | |
| 7 | other side (21.2.1) Providing and fixing glazing in aluminium door, | 8.00 | sqm | sqm | |
| ' | window, ventilator shutters and partitions etc. with | | | | |
| | EPDM rubber / neoprene gasket etc. complete as per | | | | |
| | the architectural drawings and the directions of | | | | |
| | engineer-in-charge . (Cost of aluminium snap | | | | |
| | beading shall be paid in basic item.) | | | | |
| | With float glass panes of 5.50 mm thickness (21.3.2) | 18.00 | sqm | sqm | |
| 8 | Providing and fixing aluminium handles ISI marked | | | | |
| | anodised (anodic coating not less than grade AC 10 | | | | |
| | as per IS : 1868) transparent or dyed to required | | | | |
| | colour or shade with necessary screws etc. | | | | |
| | complete: | | | | |
| | 125 mm (9.100.1) | 4 | Nos | Each | |
| 9 | Providing and fixing 100mm brass locks (best make of approved quality) for aluminium doors including | | | | |
| | necessary cutting and making good etc.complete. | | | | |
| | (21.13) | 2 | Nos | Each | |
| 10 | Providing and fixing aluminium extruded section | | | | |
| | body tubular type universal hydraulic door closer | | | | |
| | (having brand logo with ISI, IS:3564, embossed on | | | | |
| | the body, door weight upto 36 kg to 80 kg and door width from 701mm to 1000mm), with double speed | _ | | _ | |
| | wigth from (111mm to 1111flmm) with double cheed | 2 | Nos | Each | |



| | | _ | | | |
|----|--|--------|------|-----------|--|
| | adjustment with necessary accessories and screws | | | | |
| 44 | etc. complete. (9.84) | | | | |
| 11 | Providing and fixing aluminium hanging floor door stopper ISI marked anodised (anodic coating not less | | | | |
| | than grade AC 10 as per IS : 1868) transparent or | | | | |
| | dyed to required colour and shade with necessary | | | | |
| | screws etc. complete. | | | | |
| | Twin rubber stopper (9.101.2) | 2 | Nos | Each | |
| 12 | Providing and fixing in position concealed G.I. | | 1103 | Lacii | |
| '2 | section for wall paneling using gypsum tiles fully | | | | |
| | perforated of required thickness fixed on the 'W' | | | | |
| | profile (0.55 mm thick) having a knurled web of 51.55 | | | | |
| | mm and two flanges of 26 mm each with lips of 10.55 | | | | |
| | mm, placed @ 610 mm C/C in perimeter channel | | | | |
| | having one flange of 20 mm and another flange of 30 | | | | |
| | mm with thickness of 0.55 mm and web of length 27 | | | | |
| | mm. Perimeter channel is fixed on the floor and the | | | | |
| | ceiling with the nylon sleeves @ 610 mm C/C with | | | | |
| | fully threaded self-tapping dry wall screws. Board is | | | | |
| | fixed to the 'W' profile with 25 mm countersunk ribbed | | | | |
| | head screws @ 200 mm C/C., all complete as per the | | | | |
| | drawing & directions of engineer-in-charge, the joints | | | | |
| | of the boards are finished with specially formulated | | | | |
| | jointing compound. | | | | |
| | Gypsum Tiles Fully Perforated Square edge of Size | 455.00 | | | |
| 13 | 595x595 mm and 12.5 mm thick (Analysis Rate) Providing and fixing thermal insulation with Resin | 155.00 | sqm | sqm | |
| 13 | Bonded Fibre glass wool conforming to IS: 8183 | | | | |
| | having density 24 kg/m3, 50 mm thick, wrapped in | | | | |
| | 200G Virgin Polythene Bags fixed to wall with screw, | | | | |
| | rawel plug & washers and held in position by criss | | | | |
| | crossing GI wire etc. complete as per directions of | | | | |
| | Engineer-in-Charge.(12.57) | 155.00 | Sqm | Sqm | |
| 14 | Applying priming coat : | | ' | ' | |
| | Applyin priming coat :a)With ready mixed pink or | | | | |
| | grey primer of approved brand and manufacture on | | | | |
| | wood work (hard and soft wood) (13.50.1) | 155.00 | sqm | sqm | |
| 15 | Wall painting with plastic emulsion paint of approved | | | | |
| | brand and manufacture to give an even shade: | | | | |
| | Two or more coats on new work | | | | |
| | (13.60.1) | 155.00 | sqm | sqm | |
| 16 | Painting with synthetic enamel paint of approved | | | | |
| | brand and manufacture to give an even shade : | | | | |
| | Two or more coats on new work (13.61.1) | 80.00 | sqm | sqm | |
| | | | | Total Rs. | |

- 2. The bidders should submit self certified order copies of similar type of construction works executed during last three financial years alongwith self certified copies of satisfactory work completion certificates.
- 3. Those bidders who have already executed similar type of works in IWD, IIT(BHU) need not submit satisfactory work completion certificates. They should submit only the self certified copies of earlier work orders.
- 4. The amount of similar work order executed during preceding last three financial years should be at least:
- (i) 1 order of 80% of estimated cost of this work.



(ii) 2 order of 60% of estimated cost of this work.

OR

- (iii) 3 order of 40% of estimated cost of this work.
- 5. (a) Intending bidder should have average annual financial turnover of at least 30% of the estimated cost of this works during preceding last three financial years. Self-certified photocopies of certificate from CA to be submitted with bid.
 - (b) Should not have incurred any loss in more than three years during the preceding three financial years ending 31st March, 2020. Self-Certified photocopy of certificate from CA to be submitted alongwith last three years Profit & Loss Account to be submitted with bid.
 - (c) Should have a solvency certificate of 40% of the estimated cost issued by Bank during the last six months. Certified copy of original solvency certificate to be submitted with bid.
- 6. Any bid submitted without the above-mentioned documents in support of criteria laid down from Sl. No. 2 to 5 above shall be treated as unresponsive and may not be considered for further evaluation by the tender opening committee.
- 7. The quotation forms complete in all aspects along with all required documents should be submitted in sealed envelope along with **tender fee of Rs. 500.00 + Rs. 90.00 (GST @ 18%) = Rs. 590.00** in the form of demand draft drawn in favour of the Registrar, IIT (BHU), payable at Varanasi.
- 8. The estimated cost of this work is **Rs. 4,84,631.10**. The **Earnest Money Deposit** of **Rs. 12,500.00** shall be submitted in the form of FDR or DD in favour of the Registrar, IIT(BHU), payable at Varanasi. The **EMD** of successful bidder will be retained until the completion of work and shall be returned after the payment of final bill & deduction of security deposit. The EMD of unsuccessful bidders shall be returned after the final award of work.
- 9. In case of tie between two or more bidders at L-1 price, all L-1 bidders shall be asked to resubmit their bids in sealed envelope with the objective to break the tie to obtained a single L-1 bidder.
- 10. The works will be executed on Agreement/work order basis.
- 11. Institute reserves the right to reject any quotation or all quotation without prejudice, prior notice, or any explanation/justification.
- 12. If a quotation is submitted without mentioning explicit rate of each item, quotation will not be considered for further processing.
- 13. Quotation(s), if not duly signed by the contractor or his legally authorized partner, if any, will be considered invalid.



14. Security deposit @5% shall be deducted from each bill. The security deposit of 5% deducted from all the bills will be refunded after completion of the defect liability period, i.e., 05 years from the date of payment of final bill and confirmation of no defect from IWD engineering wing. The date of work completion will be counted as the date of payment of final bill.

A retention amount of @ 10% of the gross amount of the bill shall be deducted from each running bill of the bidder till the sum along with sum already deposited as earnest money, will amount to Security Deposit of 5% of the tender value of the work.

- 15. 1% water tax will be deducted from each bill, wherever applicable.
- 16. Electricity charge will be deducted as per the actual consumption.
- 17. 2% Income Tax and other applicable taxes such as GST etc. shall be deducted as per applicable Govt. rules.
- 18. <u>Amount and quantity variation</u>: Quantity may vary as per actual work execution/site requirement/end user suggested changes during execution but the final bill value shall not exceed more than 5% of order value.
- 19. Work completion period: Within 30 days from the issue of the work order/date of agreement. A period of 03 days will be added to the allocated period for the completion of this work.
- 20. <u>Late work completion penalty</u>: If work is not completed within the given time, penalty will be deducted as per institute norms. It will be implemented in verbatim with no excuse to be entertained for whatsoever be the reason.
- 21. Any damage caused to the building shall have to be made good by contractor at no extra cost & without any delay.
- 22. Site must be cleared, and made neat and clean. Any waste material resulted out of the work execution must be disposed of to the specified location identified by the Assistant Engineer, IWD. If not, 1% extra charges shall be deducted from the bill to dispose of the malba.
- 23. Duly completed tender document alongwith Quotation form, tender fee & E.M.D. should be sealed in one envelope, which is superscribed with Name of work, Tender Reference No. & date submitted on or before the last date & time as mentioned at S. No. 1 above.



- 24. The empty containers of paint/adhesive/chemicals etc. used in the work are to be returned to the custody of Assistant Engineer, IWD.
- 25. The bids submitted after the last date & time will not be considered for opening. The bids received within the last date & time will be opened on 09.02.2021 (16:00 Hrs.) in the office of Institute Works Department, IIT(BHU), Varanasi.

Sd-Superintending Engineer IWD, IIT(BHU), Varanasi



Date: _____



Institute Works Department

QUOTATION FORM

| QUOTATIO | TUTORWI | |
|--|---|--|
| Ref. No.: IIT(BHU)/IWD/2020-21/CT-026/796 | | Dated: 02 Feb., 2021 |
| The Superintending Engineer Institute Works Department, Indian Institute of Technology (BHU), Varanasi-221005 | | |
| Subject: Quotation for | | |
| | | |
| Dear Sir, | | |
| With reference to the Quotation invited beoffer to perform, provide, execute, complete drawing, conditions of tender, articles of agreem quantities of the sum of Rs | and maintain work in nent conditions of cont | conformity with the tract, specification and |
|) at the respective | | e quotations. |
| My/Our quotation will remain open for a opening. | | |
| I have submitting tender fee of Rs. 590/- | | |
| I have submitted EMD of Rs | Vide FDR/DD | No |
| dated issued by | | |
| I have enclosed self attached copy of PA: My email id for all future correspondence of work order is and mobile r | e regarding this bid inc | 9 |
| Note: Any information left blank such as emmay lead to rejection of bid as non-responsive | ail id, mobile number | r, PAN & GSTIN etc. |
| | | Yours faithfully |
| | | |

(Signature of contractor with seal)